# SAFETY DATA SHEET



# **PC HA Series**

**Section 1. Identification** 

PC 340HA, 363HA, 370HA, 373HA, 385HA, 398HA, 404HA, 409HA, 414HA, **GHS** product identifier

452HA

Not available. Other means of identification

**Product type** Liquid.

Material uses **UV-curable coatings** Supplier Luvantix ADM Co., Ltd.

L-601 KAIST ICC 193 Munji-dong Yuseong-gu, Daejeon, Korea

Tel +82-42-865-0595

e-mail address of person responsible for this SDS

Contact@LuvantixADM.com

**Emergency telephone number** Luvantix ADM Co., Ltd. +82 (42) 862-0596 (International Korea 24 hour)

# Section 2. Hazards identification

This material is considered hazardous by the OSHA Hazard **OSHA/HCS** status

Communication Standard (29 CFR 1910.1200).

SKIN CORROSION/IRRITATION - Category 2. Classification of

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 the substance or mixture

SKIN SENSITIZATION - Category 1

**GHS label elements** 

**Hazard pictograms** 



Signal word Warning

**Hazard statements** H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

Precautionary statements

Prevention P280 - Wear protective gloves. Wear eye or face protection.

P261 - Avoid breathing vapor.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P302 + P352 + P362-2 + P363 - IF ON SKIN: Wash with plenty of soap and Response

water. Take off contaminated clothing. Wash contaminated clothing before

P333 + P313 - If skin irritation or rash occurs: Get medical attention.

Date of Issue / Date of Revision: 1 August 2015 Version: 1.0 Page 1 / 10



P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337 + P313 - If eye irritation persists: Get medical attention.

Storage Not applicable.

P501 - Dispose of contents and container in accordance with all local, Disposal

regional, national and international regulations.

Hazards not otherwise

classified

None known.

**Hazardous Material** 

Information System (U.S.A.)

Health	2
Flammability	1
Physical Hazards	1
PERSONAL PROTECTION	AG

The PPE (Personal Protection Equipment) designation in the HMIS is provided for use by employees at supplier sites only. Other users of this product are encouraged to evaluate the hazards of the product and assign PPE that is applicable to their specific situations.

The customer is responsible for determining the PPE code for this material.

## Section 3. Composition/information on ingredients

Substance/Mixture Mixture

Other means of identification Not available.

Ingredient name	CAS Number	%
2-(Perfluorohexyl) ethyl methacrylate	2144-53-8	15 ~ 50
2-Propenoic acid, 2-methyl-, 2-ethyl-2-[[(2-methyl-1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester	3290-92-4	5 ~ 10
Methanone, (1-hydroxycyclohexyl)phenyl-	947-19-3	1 ~ 4
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	0.5 ~ 2
Ingredients determined not to be hazardous (Acrylic Fluoro Urethane Elastomer)	-	40 ~ 60

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

# **Description of necessary first aid measures**

**Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper

and lower eyelids. Check for and remove any contact lenses. Continue to

rinse for at least 10 minutes. Get medical attention.

Remove victim to fresh air and keep at rest in a position comfortable for Inhalation

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may

Date of Issue / Date of Revision: 1 August 2015 Version: 1.0 Page 2 / 10



be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband

Skin Contact :

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to

fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

**Eye contact** : Causes serious eye irritation.

Inhalation:No known significant effects or critical hazards.Skin contact:No known significant effects or critical hazards.

**Ingestion** : Irritating to mouth, throat and stomach.

Potential acute health effects

Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following :

pain or irritation

watering redness

Inhalation : No specific data.

**Skin contact** : Adverse symptoms may include the following :

irritation redness.

Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if

large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable

training. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Date of Issue / Date of Revision : 1 August 2015 Version : 1.0 Page 3 / 10



Unsuitable extinguishing

media

None known.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any

waterway, sewer or drain.

Hazardous thermal decomposition products

Decomposition products may include the following materials :

carbon dioxide carbon monoxide halogenated compounds (dense) black smoke

aldehydes organic acids

Special protective actions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk

or without suitable training.

**Extinguishing media** 

Special protective equipment

for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with a full face-piece operated in

positive pressure mode.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers. Inform the relevant authorities if the product has caused

environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water

and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.

Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach release

from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Eating,

drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid contact during pregnancy or while nursing. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release

Date of Issue / Date of Revision : 1 August 2015 Version : 1.0 Page 4 / 10



to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 15 to 30°C (59 to 86°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits :

Appropriate engineering

controls

**Environmental exposure** controls

None

Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures** 

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products,

before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used when

> a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of

protection: chemical splash goggles.

Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

Personal protective equipment for the body should be selected based on the **Body protection** 

task being performed and the risks involved and should be approved by a

specialist before handling this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and should

be approved by a specialist before handling this product.

Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator.



# Section 9. Physical and chemical properties

**Appearance** 

Physical state : Liquid. [Viscous liquid.]

Color : Clear

Odor : Characteristic.

Odor threshold : Not available.

pH : Not available.

Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: >212°F (>100°C) [estimate]

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Lower and upper explosive

(flammable) limits

Not available

Vapor pressure : Not available.

Vapor density : Not available.

Relative density : >1.45 (Water = 1)

Density (g/cm³) : >1.45 g/cm³ (23°C)

Bulk density:Not available.Solubility:Not available.Solubility in water:Not available.

Partition coefficient: n-octanol/water

Not available.

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Dynamic (room temperature): >300 mPa·s (>300 cP)

Kinematic (room temperature): >1.94 cm<sup>2</sup>/s (>1.94 cSt)

# Section 10. Stability and reactivity

Reactivity

No specific test data related to reactivity available for this product or its ingredients.

ingredients.

Chemical stability : The product is stable.

reactions occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition products : No specific data.

### Section 11. Toxicological information

# **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure	
Date of Janua / Date of Davision / A August 2015 Version / 4.0 Dage 6 / 40					



Photo-initiators	LD50 Dermal LD50 Oral	Rat Rat	6929 mg/kg	-
Photo-initiators	LD50 Definal LD50 Ofal	Rai Rai	1694 mg/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Photo-initiators	Skin - Non-irritating	Rabbit	0	-	-
Prioto-initiators	Skin - Non-irritating	Rabbit	0	-	-

#### **Sensitization**

Product/ingredient name	Route of exposure	Species	Result
Photo-initiators	skin	Guinea pig	Not sensitizing

### **Mutagenicity**

Product/ingredient name	Test	Experiment	Result
Photo-initiators	OECD 471 Bacterial Reverse Mutation Test	Subject: Bacteria	Negative

#### Carcinogenicity

Not available.

## Reproductive toxicity

Not available.

# **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

## Specific target organ toxicity (repeated exposure)

Not available.

# **Aspiration hazard**

Not available.

Information on the likely routes

of exposure

Not available.

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

**Ingestion** : Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: pain or irritation

watering redness

Inhalation : No specific data.

**Skin contact** : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Date of Issue / Date of Revision : 1 August 2015 Version : 1.0 Page 7 / 10



#### Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

### Potential chronic health effects

General Once sensitized, a severe allergic reaction may occur when subsequently

exposed to very low levels.

Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

## **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Route	ATE value
Oral	84700 mg/kg

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
	Acute EC50 1.95 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
Photo-initiators	Acute EC50 >119 mg/l Fresh water	Daphnia	48 hours
Prioto-initiators	Acute EC50 >1000 mg/l Fresh water	Micro-organism	180 minutes
	Acute LC50 160 mg/l Fresh water	Fish - Leuciscus idus	48 hours

### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	duct/ingredient name LogPow BCF		Potential
Photo-initiators	1.62	-	low

### **Mobility in soil**

Soil/water partition coefficient (KOC) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste

Date of Issue / Date of Revision : 1 August 2015 Version : 1.0 Page 8 / 10



should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for use

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to

do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

Not available.

# Section 15. Regulatory information

**U.S. Federal regulations** : All components are listed or exempted.

Clean Air Act Section 602 Class I Substances

Not listed.

Clean Air Act Section 602 Class II Substances Not listed.

DEA List I Chemicals

Not listed.

(Precursor Chemicals)

not listed.

**DEA List II Chemicals** (Essential Chemicals

Not listed.

State regulations

Massachusetts:None of the components are listed.New York:None of the components are listed.New Jersey:None of the components are listed.Pennsylvania:None of the components are listed.

### International regulations

# Chemical Weapon Convention List Schedules I, II & III Chemicals

Ingredient name	List name	Status
Not listed.		

### Montreal Protocol (Annexes A, B, C, E)

Ingredient name	List name	Status



Not listed.	Not listed.		
-------------	-------------	--	--

### Stockholm Convention on Persistent Organic Pollutants

Ingredient name	List name	Status
Not listed.		

### Rotterdam Convention on Prior Inform Consent (PIC)

Ingredient name	List name	Status
Not listed.		

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Ingredient name	List name	Status
Not listed.		

# **Section 16. Other information**

### **History**

Code : 150801ADM363001

Date of Printing : 01-Aug-15

Date of issue/ Date of revision : 01-Aug-15

Date of previous issue Version : No previous validation

Reference : Not available

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. While this information has been prepared in good faith by technical experts within the above named organization, the final determination of suitability of any material is the sole responsibility of the end user, after proper consultation with the end users' engineering, technical, health and safety professionals. All materials may present unknown hazards, and should be used with caution considering the specific material, other materials that it may or may not be combined with, and any engineering controls and/or process implementation(s) designed for the use of the material in any specific system process. Although certain hazards are described within, these cannot be guaranteed as the only hazards that exist.

Date of Issue / Date of Revision : 1 August 2015

Page 10 / 10

Version: 1.0